





KDE label plate



Product information

The KDE label plates are pushed directly onto the single wires.

- For wire cross sections from 0.5 – 4 mm².
- Available in three lengths, in the colours white and yellow.

Information, conformities and approvals



Article	Order No.	Color	RAL equiv.	Areas of application from - to in mm (C)	Wire cross section from - to mm ² (D)	Label size mm (B x A)	Quantity per frame	Software Article	Base plate	PU pcs.
Label length 11 mm										
KDE 11x4-3,2	86381240	White	9016	1.7 - 3.2	0.5 - 1.5	4 x 11	48	A78	GP KDE	576
KDE 11x4-3,2	86381241	Yellow	1018	1.7 - 3.2	0.5 - 1.5	4 x 11	48	A79	GP KDE	576
KDE 11x4-4,2	86381242	White	9016	2 - 4.2	1 - 4	4 x 11	48	A80	GP KDE	576
KDE 11x4-4,2	86381243	Yellow	1018	2 - 4.2	1 - 4	4 x 11	48	A81	GP KDE	576
Label length 16 mm										
KDE 16x4-3,2	86381244	White	9016	1.7 - 3.2	0.5 - 1.5	4 x 16	48	A82	GP KDE	576
KDE 16x4-3,2	86381245	Yellow	1018	1.7 - 3.2	0.5 - 1.5	4 x 16	48	A83	GP KDE	576
KDE 16x4-4,2	86381246	White	9016	2 - 4.2	1 - 4	4 x 16	48	A84	GP KDE	576
KDE 16x4-4,2	86381247	Yellow	1018	2 - 4.2	1 - 4	4 x 16	48	A85	GP KDE	576
Label length 21 mm										



KDE label plate

Article	Order No.	Color	RAL equiv.	Areas of application from - to in mm (C)	Wire cross section from - to mm ² (D)	Label size mm (B x A)	Quantity per frame	Software Article	Base plate	PU pcs.
KDE 21x4-3,2	86381248	White	9016	1.7 - 3.2	0.5 - 1.5	4 x 21	48	557	GP KDE	576
KDE 21x4-3,2	86381249	Yellow	1018	1.7 - 3.2	0.5 - 1.5	4 x 21	48	558	GP KDE	576
KDE 21x4-4,2	86381250	White	9016	2 - 4.2	1 - 4	4 x 21	48	559	GP KDE	576
KDE 21x4-4,2	86381251	Yellow	1018	2 - 4.2	1 - 4	4 x 21	48	560	GP KDE	576

Material properties



Polycarbonate (PC) |

Thermal properties



Temperature / temperature range -40 °C – 130 °C

Fire properties



Fire classification V0

Technical information



Halogen-free

General technical data



Single-line labelling. Suitable for use with narrow wire bending radii.

Assembly method



Clamping system



KDE label plate

Labelling technology



Plotter



Laser devices



Inkjet

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.